Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black

Item Code: 200-150











- X Duct grade rodent resistant
 X Sequentially metre marked
 X 1500/500MHz.km bandwidth
 X Cut to length service
- X 25 Year system warranty
- X Euroclass Dca-s2-d0-a1

Product overview

Excel OM3 50/125µm loose tube optical fibre cables have been designed specifically for internal and external applications. These compact, lightweight cables are extremely flexible and are quick and easy to install.

The cables are constructed around a gel filled (non-dripping and silicon free) tube containing up to 24 colour coded 250µm primary coated fibres. This tube is covered with an E-Glass strength member.

The print legend on the cable now includes information regarding the DOP number, Test and Classification of the cable for traceability. \Box

Product specifications

Features	Values	
Number of Cores	4	
Type of tube	Loose tube	
Number of fibres per tube	4	
Fibre type	Multi mode 50/125	
Category	OM3	
Armouring	no	
Rodent resistant	yes	
Outer sheath material	Copolymer, thermoplastic (LS0H)	
Outer sheath colour	Black	
Reaction-to-fire class according to EN 13501-6	Dca	
		0 1 1 1

Continued on the next page...


Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black

excel without compromise.

Item Code: 200-150

Features	Values
Smoke development class according to EN 13501-6	s2
Euro class flaming droplets/particles according to EN 13501-6	d0
Euro class acidity according to EN 13501-6	a1
Halogen free (acc. EN 60754-1/2)	yes
Flame retardant	In accordance with EN 50399
Low smoke (acc. BS EN 61034-2)	yes
Outer diameter approx.	6 mm

Cross-section diagram




Cable specifications

Strength members E-Glass Yarns Tensile Strength (during installation/installed) 1000N/300N Impact 1J Crush resistance (during installation/installed) 1000N/300N Torsion 5 cycles +/- 1 turn Kink 100mm min. Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm Maximum bend radius (during installation/installed) 20x cable OD/10x cable OD	Features	Values
Impact 1J Crush resistance (during installation/installed) 1000N/300N Torsion 5 cycles +/- 1 turn Kink 100mm min. Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Strength members	E-Glass Yarns
Crush resistance (during installation/installed) Torsion 5 cycles +/- 1 turn Kink 100mm min. Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Tensile Strength (during installation/installed)	1000N/300N
Torsion 5 cycles +/- 1 turn Kink 100mm min. Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Impact	1J
Kink 100mm min. Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Crush resistance (during installation/installed)	1000N/300N
Temperature range (during installation/installed) -30° to +60°C Temperature range (storage) -40° to +60°C Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Torsion	5 cycles +/- 1 turn
Temperature range (storage) Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Kink	100mm min.
Weight (4-16 cores) Approx. 40kg/km Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Temperature range (during installation/installed)	-30° to +60°C
Weight (24 cores) Approx. 45kg/km Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Temperature range (storage)	-40° to +60°C
Tube diameter (4-16 cores) 2.8mm±0.1mm Tube diameter (24 cores) 3.5mm±0.20mm	Weight (4-16 cores)	Approx. 40kg/km
Tube diameter (24 cores) 3.5mm±0.20mm	Weight (24 cores)	Approx. 45kg/km
	Tube diameter (4-16 cores)	2.8mm±0.1mm
Maximum bend radius (during installation/installed) 20x cable OD/10x cable OD	Tube diameter (24 cores)	3.5mm±0.20mm
	Maximum bend radius (during installation/installed)	20x cable OD/10x cable OD
Sheath thickness Typical 1.1mm	Sheath thickness	Typical 1.1mm

Continued on the next page...

Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black





Features	Values
Water Penetration	No water on free end

Fibre specifications

Features	Values	@850nm	@1300nm
Core diameter	50±2.5um		
Cladding diameter	125.0±1.0um		
Primary Coating diameter	250±15um		
Max. attenuation		3.0 dB/km	1.0 dB/km
Refractive Index		1.482	1.477
Numerical aperture	0.200±0.015		
Overfilled Modal Bandwidth		1500 MHz/km	500 MHz.km

Standards

Applicable standard	Subject
IEC 60794-2-20:2013	Optical fibre cables - Part 2-20: Indoor cables - Family specification for multi-fibre optical cables
IEC 60332-1-2:2004	Tests on electric and optical fibre cables under fire conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame
IEC 60754-2:2011	Test on gases evolved during combustion of materials from cables - Part 2: Determination of acidity (by pH measurement) and conductivity
IEC 61034-2:2005+A1:2013	Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements
IEC 60793-1-1:2017	Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance
IEC 60793-2-10:2017	Sectional specification for A1 multimode fibres
IEC 60793-1-20:2014	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry
IEC 60793-1-21:2001	Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry
IEC 60793-1-22:2001	Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement
IEC 60793-1-30:2010	Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test

Continued on the next page...

Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black

Item Code: 200-150



Applicable standard	Subject
ITU G.651.1	Characteristics of a 50/125 µm multimode graded index optical
	fibre cable for the optical access network
EN 50173-1:2011	Information technology. Generic cabling systems - General
	requirements
EN 50575: 2014 + A1: 2016	Power, control and communication cables — Cables for general
	applications in construction works subject to reaction to fire
	requirements
EN 50399:2011+A1:2016	Common test methods for cables under fire conditions. Heat
	release and smoke production measurement on cables during
	flame spread test. Test apparatus, procedures, results
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises:
	Part 1 General Requirements
ANSI/TIA 568-3.D	Optical Fiber Cabling and Components Standard
ANSI/TIA/EIA 598-D	Optical Fibre Cable Colour Coding
RoHS	Restriction of Hazardous Substances - Compliant



For fibre core counts above 12 the colour sequence is repeated with the addition of a mark every 70mm for cores 13-24 and two marks for 25-36 and so on.

Part number table

200-149 Enbeam OM3 Multimode 50/125 6 Core Fibre Optic Cable Loose Tube Dca - Black 200-150 Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black 200-151 Enbeam OM3 Multimode 50/125 8 Core Fibre Optic Cable Loose Tube Dca - Black 200-152 Enbeam OM3 Multimode 50/125 12 Core Fibre Optic Cable Loose Tube Dca - Black 200-153 Enbeam OM3 Multimode 50/125 16 Core Fibre Optic Cable Loose Tube Dca - Black	Part Number	Description
200-151 Enbeam OM3 Multimode 50/125 8 Core Fibre Optic Cable Loose Tube Dca - Black 200-152 Enbeam OM3 Multimode 50/125 12 Core Fibre Optic Cable Loose Tube Dca - Black	200-149	Enbeam OM3 Multimode 50/125 6 Core Fibre Optic Cable Loose Tube Dca - Black
200-152 Enbeam OM3 Multimode 50/125 12 Core Fibre Optic Cable Loose Tube Dca - Black	200-150	Enbeam OM3 Multimode 50/125 4 Core Fibre Optic Cable Loose Tube Dca - Black
·	200-151	Enbeam OM3 Multimode 50/125 8 Core Fibre Optic Cable Loose Tube Dca - Black
200-153 Enheam QM3 Multimode 50/125 16 Core Fibre Ontic Cable Loose Tube Dca - Black	200-152	Enbeam OM3 Multimode 50/125 12 Core Fibre Optic Cable Loose Tube Dca - Black
200 100 Enboard Switching Control of Table Data Black	200-153	Enbeam OM3 Multimode 50/125 16 Core Fibre Optic Cable Loose Tube Dca - Black
200-154 Enbeam OM3 Multimode 50/125 24 Core Fibre Optic Cable Loose Tube Dca - Black	200-154	Enbeam OM3 Multimode 50/125 24 Core Fibre Optic Cable Loose Tube Dca - Black

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.